

# SPECIFICATION SHEET



SELF PROPELLED Automatic Slab Harvester

**SC2010<sup>TM</sup>**  
Slab

The SC 2010 Slab combines a revolutionary design along with Trebro's proven reliability into an automatic stacking slab harvester with performance that you can count on.

## ...a fast, maneuverable and highly productive automatic slabbing turf harvester

No other turf harvester is designed and engineered like the Trebro SC 2010 Slab. Built from the ground up it offers many features that maximize efficiency and productivity. For example, with all wheel drive and rear wheel anti-spin control, the SC 2010 Slab will stay on track in wet, muddy conditions. It is the most maneuverable turf harvester available. The 170 degree front steering axle with zero turning radius makes it the ideal turf harvester in smaller fields. In addition full pallets of turf can be quickly backed out of the way when a forklift is not available. The SC 2010 Slab deluxe cab has been designed with operator comfort and visibility in mind. The driver has an excellent view of all harvesting and stacking functions. The Trebro exclusive floating cutting head with adjustable down pressure maximizes productivity with a minimum of waste. For a higher measure of precision and reliability, slabs of turf are picked up and stacked by a hydraulically powered hook and bump system that is gentle on the turf and produces tight stable stacks.



Make your large scale turf harvesting operation into a highly efficient one man system. Reduce labor and increase profits with the dependability of the Trebro SC 2010 Slab automatic stacking turf harvester.

Manufacturing  
**Trebro**  
The Future of Turf Harvesting

Trebro Manufacturing, Inc. • P.O. Box 80390 • Billings, MT 59108 • 406-652-5867 • 888-395-5867 • www.trebro.com

# SPECIFICATION SHEET

**SC2010<sup>TM</sup>**  
Slab

## SPECIFICATIONS

Width of Cut.....	21", 23" or 24" (53cm, 58cm or 61cm)
Thickness of Cut.....	Hydraulically adjusted
Cutting Knife .....	One piece with fingers
Steering .....	Ultra-Steer, (automatic) Front pedestal. 170 degree arc
Weight .....	16,097 lbs (7,302 kgs)
Length .....	27 feet (8.23m)
Width (working) .....	10 feet, 4 inches (3.15m)
Width (shipping).....	7 feet, 6 inches (2.29m)
Height.....	9 feet, 2 inches (2.79m)
Tires .....	Front: Goodyear Xtra Trac 31 X 15.50 Back Left: Trelleborg 500 X 45-22.5 Back Right: Trelleborg 550 X 45-22.5
Horsepower.....	99 hp engine
Transmission.....	4 speed automatic
All-wheel Drive.....	Rear wheel electronic anti-spin control

## OPTIONS

- Spare parts package
- Pallet lifter for double sided pallets



Floating cutting head with adjustable-down pressure



Proven hook and bump bed stacking system



170 degree steering axle



Excellent visibility of cutting head, conveyor, and stacker

## FEATURES

- One man operation for substantial labor savings
- Best Turning Radius in the industry
- Deluxe operators cab with heat and air conditioning is installed on anti-vibration mounts for a quiet operator environment
- Comfortable, roomy driver station with a 90 degree rotating seat puts the operator in the best position to see all harvesting and stacking functions
- Excellent visibility of cutting head, conveyor and stacker
- Exclusive Trebro hook and bump bed system ensures a positive and gentle transfer of slabs onto the pallet
- Programmable tie in feature; 48" long slabs can be placed in the stack periodically for extra stability. Side to side stability is provided by an offset stacking pattern
- Fingertip controls for on-the-go adjustment of thickness, pallet size, and slab length
- Lightweight design and large flotation tires equal superb flotation in all soil conditions
- Rear wheel anti-spin control
- Ultra-Steer automatic steering with on-the-go micro adjust can be set to clean cut or to leave a ribbon for uniform re-growth
- 24 inch cutting head with adjustable down pressure produces an outstanding quality of cut
- On-the-go scrap dump allows the operator to discard a single bad slab
- The zip-link conveyor belt with automatic tension control is gentle on the turf and it is easy and convenient to replace worn or damaged sections
- Automatic conveyor ground speed control and wait modes prevents tearing of the turf and ensures a consistent gap between the slabs as they come up the conveyor
- The automatic squeeze function compacts a full stack of turf against the stacker rails before it is dropped producing a tight stable stack
- Rear mounted pallet injector with 10 pallet capacity
- Fits into an ocean container for reduced offshore shipping costs



Manufacturing  
**Trebro**  
The Future of Turf Harvesting